

Useless Assignments

The Useless Assignments report shows assignments to global, static and local variables where the assigned value is never used, either because the variable is set again before it is read, or because the variable is never read after it is set. The existence of useless assignments might indicate that some logic is faulty or missing. Consider the following example:

```
int globalA = 1;
int globalB = 1;


int func2(int paramX, int paramY) {
    paramY = globalB;
    globalA = paramY;
    return paramX;
}

int func1(void) {
    int localX, localY, localZ;

    localX = 1;
    localY = 1;
    localZ = 1;
    globalB = 2;

    localZ = func2(localX, localY);

    return localZ;
}
```



The report indicates the specific variable assignments where the variable itself is subsequently set again before it is read (localZ), or where the variable is never subsequently read (globalA). These are considered to be directly useless assignments and will always be listed, regardless of whether transitively useless assignments are selected.

Useless Assignments	
Settings:	
Global Variables:	displayed
Static Variables:	displayed
Local Variables:	displayed
Transitively Useless:	not displayed
Union/Bitfield Members:	separate
Variable	File (Line)
Function	File (Line)
Assignment	
globalA	useless_asgn.c (2)
func2	useless_asgn.c (5)
8 globalA = paramY;	
localZ	useless_asgn.c (13)
func1	useless_asgn.c (12)
17 localZ = 1;	

Enabling the display of transitively useless assignments extends the assignments that are listed. Notice that the assignments of paramY and globalB are now included in the report. The assignment of globalA in func2 is directly useless. Since the assignment of paramY only contributes to the useless assignment of globalA, this upstream assignment is considered to be transitively useless. One step further upstream, the same is true for the use of globalB in setting the value of paramY.

If you enable the explanation for each result, the reported reason can help you understand why a given assignment is useless.

Useless Assignments

```

Settings:
  Global Variables:      displayed
  Static Variables:     displayed
  Local Variables:      displayed
  Transitively Useless: displayed
  Union/Bitfield Members: separate

Variable                                     File (Line)
Function                                     File (Line)
Assignment

globalA                                     useless_asgn.c (2)
func2                                       useless_asgn.c (5)
  8 globalA = paramY;
Reason: reaches end of control flow without use

globalB                                     useless_asgn.c (3)
func1                                       useless_asgn.c (12)
 18 globalB = 2;
Reason: reaches end of control flow without use

localZ                                      useless_asgn.c (13)
func1                                       useless_asgn.c (12)
 17 localZ = 1;
Reason: reaches end of control flow without use

paramY                                      useless_asgn.c (5)
func2                                       useless_asgn.c (5)
  7 paramY = globalB;
Reason: transitively useless because useless assignment at line 8 in function func2

```